


Setup Field Day Logger

This tutorial shows how to setup the Field Day Logger with your call sign and other required information.

Step 1 of 7 - Login to QRUQSP.org Subscription




Open a web browser and connect to your QRUQSP.org subscription.

<https://qrupart.org/manager>

Enter your login information and click the Sign In button.

****NOTE:** You can click the remember me checkbox so you don't have to enter the information each time.


Step 2 of 7 - Select Field Day Logger



Select Field Day Logger from the main menu

Setup Field Day Logger


Step 3 of 7 - Select Settings



The screenshot shows the 'Field Day Logger' app interface. At the top, there are navigation icons for Home, Back, and Settings. The main area is titled 'Contact' and contains several input fields: 'Call Sign', 'Class', 'Section', 'Frequency' (set to 7.180), 'Band' (set to 40 M), 'Mode' (with buttons for CW, PH, and DIG), and 'Operator'. At the bottom, there is an 'Add Contact' button. A red arrow points to the 'Settings' gear icon in the top right corner.

Select Settings in the top right-hand corner.

Step 4 of 7 - Enter Station Callsign, Class and Section



The screenshot shows the 'Contact' form with the 'Station Call Sign' section highlighted in red. The 'Call Sign' field contains 'N5QLI', 'Class' contains '1D', and 'Section' contains 'NTX'. Below this section, there are 'Interface Settings' (with 'Use notes' set to 'No') and 'Cabrillo Export Details' (with 'Operator' set to 'Single Operator').

Enter the exchange information that you will give to all other stations for your field day contact exchanges.

Call Sign is the call sign that you will give for each exchange.

NOTE: This should be the call sign of your control operator who's license determines your operating privileges and frequencies used during the Field Day event.

Class is the the maximum number of simultaneously transmitted signals, followed by a class designator indicating the nature of your participation according to Field Day rules.


NOTE: See <http://www.arrl.org/field-day-rules#class> for a detailed summary of the requirements for each class designator.

Most stations will be **1D**, which means never more than one transceiver transmitting at the same time and home stations operating from the permanent or licensed station location using commercial power.

Section is the ARRL / RAC section in which you will operate.

Setup Field Day Logger

Step 5 of 7 - (Optional) Use Notes




The screenshot shows the 'Contact' form with the following fields and settings:

- Station Call Sign: Call Sign (N5QLI), Class (1D), Section (NTX)
- Interface Settings: Use notes (No, Yes) - A red arrow points to the 'Yes' button.
- Cabrillo Export Details: Operator (Single Operator, Multi-Operator)

Select "Use notes" if you may wish to add notes to some of your contacts.

If "Use notes" is enabled then Notes will appear as the last input after "Mode" when logging contacts. Entering notes is not required and can be bypassed by pressing enter or clicking on "Add Contact".

Step 6 of 7 - (Optional) Multi-Operator




The screenshot shows the 'Contact' form with the following fields and settings:

- Station Call Sign: Call Sign (N5QLI), Class (1D), Section (NTX)
- Interface Settings: Use notes (No, Yes)
- Cabrillo Export Details: Operator (Single Operator, Multi-Operator) - A red arrow points to the 'Multi-Operator' button.

Select "Multi-Operator" if you wish to track multiple operator names or callsigns throughout your field day operations. This feature is useful for the control operator to keep track of which operator was keying the transmitter for each contact logged.

"Operator" is an extra input field that will be added below "Mode".

Step 7 of 7 - Save Settings



The screenshot shows the 'Cabrillo Export Details' form with the following fields and settings:

- Operator: (Single Operator, Multi-Operator)
- Assisted: (Assisted, Non-Assisted)
- Power: (QRP-Battery, QRP, Low < 150w, High)
- Station: (Fixed, Mobile, Portable, Rover, Rover-Limited, Rover-Unlimited)
- Transmitter: (One, Two, Limited, Unlimited, SWL)
- Name: (Text input)
- Address: (Text input)
- City: (Text input)
- State/Province: (Text input)
- ZIP/Postal Code: (Text input)
- Country: (Text input)
- Buttons: Save, Clear Contacts - A red arrow points to the 'Save' button.

Click on Save.

All fields under "Cabrillo Export Details" need only be entered when exporting your log to Cabrillo format. You may leave them blank until you are ready to export your log.